



Respiratory Protection HALF MASKS

Polimask® 230 A1 P1



ERGONOMIC



LIGHT WEIGHT



EASY DONNING





Respiratory Protection

HALF MASKS

Polimask® 230 A1 P1

Respirator fitted with one combined cartridge type 230 EF + VS A1P1 for spray painting and agriculture.



DESCRIPTION

One size rubber respirator with one combined cartridge type 230 EF+VS A1 P1, organic gas and vapours, dust and fumes. Complying with EN 140 and EN 14387.

The half mask is complying with **EN 140**; the filter is complying with **EN 14387**.

MAIN FEATURES

- Adaptability to any kind of face with a good sealing ability (approximately 0.5% leakage).
- Low breathing resistance (0,9 mbar during inhalation, 1,6 mbar during exhalation, at a rate of 160 l/min).
- Can be suspended from the neck when not used.
- Compatible with the use of glasses and goggles.
- The component materials are not likely to cause allergies or irritations.
- Easy donning and doffing.
- Easy maintenance, washing and disinfection.
- Compatibility with the use of glasses and goggles.

Body mask in **EPDM** rubber

For use with one **filter series 230**



Two-piece harness with adjustable buckles and fasteners

Exhalation valve group equipped with compensating pre-chamber

PERFORMANCES



Comfort



Ergonomics



Lightness



Easy donning

MATERIALS

- **Body mask:** EPDM
- **Harness attachment support:** Polyamide
- **Filter fittings:** Polypropylene
- **Harness:** EPDM

WEIGHT

250g

ITEM NO.

- **EPDM:** 43360020

SÈKUR REPLACEMENT FILTER:

- **Combined filter:** 230 EF+VF A1-P1 N R **Item no.:** 43405127