



## Respiratory Protection

### HALF MASKS

# Polimask® 230



ERGONOMIC



LIGHT WEIGHT



EASY DONNING





## Respiratory Protection

### HALF MASKS

# Polimask® 230

Half mask in EPDM or Silicone rubber for use with one Sèkur filter series 230.



## DESCRIPTION

One size half mask complying with **EN 140**.

Suitable for use with a single synthetic resin filter of the 230 series which includes:

- Class P2 and P3 particulate filters,
- Class 1 and 2 gas filters,
- Combined filters in the above mentioned classes.

## MAIN FEATURES

- Adaptability to any kind of face with a good sealing ability (approximately 0.5% leakage).
- Low breathing resistance (0,9 mbar during inhalation, 1,6 mbar during exhalation, at a rate of 160 l/min).
- Can be suspended from the neck when not used.
- Compatible with the use of glasses and goggles.
- The component materials are not likely to cause allergies or irritations.
- Easy donning and doffing.
- Easy maintenance, washing and disinfection.
- Compatibility with the use of glasses and goggles.

Body mask in **EPDM** rubber

For use with one **filter series 230**



**Two-piece harness** with adjustable buckles and fasteners

Exhalation valve group equipped with compensating pre-chamber

Silicone   
 EPDM 



## PERFORMANCES



Comfort



Ergonomics



Lightness



Easy donning

## MATERIALS

- **Body mask:** EPDM or silicone rubber
- **Harness attachment support:** Polyamide
- **Filter fittings:** Polypropylene
- **Harness:** EPDM

## WEIGHT

145g

## ITEM NO.

- **EPDM:** 43362100
- **Silicone:** 43362105

## FITTED WITH THE FOLLOWING SÈKUR FILTERS:

Dust filters: 230 P2 R and 230 P3 R

Gas filters: 230 type A1; B1; E1; K1; A1-B1; A1B1E1K1; A2; B2; E2; K2; A2B2E2K2; A2B2E2K1; A2B2E2K2

Combined filters: 230 type A1-P1; A1-P2 R D; B1-P2 R D; E1-P2 R D; K1-P2 R D e A2-P2 R D; B2-P2 R D; E2-P2 R D; K2-P2 R D; A1-P3 R D; B1-P3 R D; A1B1E1K1P3 R D; A2-P3 R D; A2P3 R D COMPACT; B2-P3 R D; A2B2-P3 R D; A2B2E2K1P3 R D; A2B2E2K2P3 R D